

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1	("6135760").PN.	USPAT	OR	OFF	2004/12/17 11:06
S3	2	((("5264708") or ("5995261"))).PN.	USPAT	OR	OFF	2004/12/20 09:59
S4	48	(uv with (flame near sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 13:52
S5	56	((uv or ir) with (flame near sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 10:00
S6	15	S5 and photodiode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:53
S7	13	S6 and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:57
S8	1	S7 and (fet with (automatic adj (gain adj control)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:55
S9	1	S7 and fet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:55
S10	0	250/372.00	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:58
S11	1115	250/372.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:58

S12	62	S11 and ((fire or heat or flame) with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 14:00
S13	5	S12 and photodiode and amplifier and capacitor and gain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 14:00
S14	170	((fire or heat or flame) with sensor) and photodiode and amplifier and capacitor and gain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 14:03
S15	80	((fire or heat or flame) with (sensor or detector)) and photodiode and amplifier and capacitor and gain and (uv or IR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 14:06
S16	15406	((fire or heat or flame) with (sensor or detector)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 14:44
S17	1274	S16 and (ultraviolet or infrared)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 15:47
S18	20	S17 and photodiode and amplifier and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 14:07
S19	18	S17 and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 14:41

S20	1	S17 and (capacitance adj laminate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 14:41
S21	5	(((fire or heat or flame) with (sensor or detector)) same fabricated) same pcb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 14:46
S22	0	(((fire or heat or flame) with (sensor or detector)) with fabricated) with pcb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 14:46
S23	0	2002/0154592	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 15:11
S24	52	369/121.ccls. and tanaka.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 15:11
S25	11	S17 and laminate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 15:15
S26	1	S25 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 15:16
S27	15406	((fire or heat or flame) with (sensor or detector)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/18 11:38

S28	0	S27 and (ultraviolet or infrared) and (laminate near2 capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 15:50
S29	3422	(laminate near2 capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:04
S30	1	S29 and ((fire or heat or flame) with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 15:48
S31	1	S27 and (ultraviolet or infrared) and (laminate with capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 15:49
S32	18	S27 and (ultraviolet or infrared) and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:01
S33	11	S27 and (ultraviolet or infrared) and pcb and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:02
S34	392	250/554.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:02
S35	0	S34 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:02

S36	50	S34 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:02
S37	18	S36 and ultraviolet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:03
S38	0	S37 and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:02
S39	55	(laminate near2 capacitor) and (sensor or detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:04
S40	0	S39 and 250/?ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:04
S41	14	S39 and ultraviolet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:07
S42	0	S41 and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:04
S43	1	("5670784").PN.	USPAT	OR	OFF	2004/12/17 16:08
S44	1	("6013919").PN.	USPAT	OR	OFF	2004/12/18 11:36
S45	185	((fire or heat or flame) with (sensor or detector)) same pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:03

S46	48	((fire or heat or flame) with (sensor or detector)).ti. and (((fire or heat or flame) with (sensor or detector)) same pcb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/18 11:40
S47	143	(flame near2 sensor) and turbine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 09:03
S48	45	S47 and ultraviolet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 09:03
S49	9	S48 and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 09:18
S50	8443	capacit\$5 with laminate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 09:19
S51	62	S50 same pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 09:19
S52	6	S51 and (sensor or detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 09:19
S53	0	(flame near2 sensor) and (polycarbonate near capacit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:00

S54	0	(ultraviolet with (flame near sensor)) with pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:04
S55	2	(ultraviolet with (flame near sensor)) and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:05
S56	2	(flame near sensor) with pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:22
S57	204	photodiode and amplifier and capacitor and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:07
S58	147	S57 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:08
S59	60	S58 and (fet or (automatic adj (gain adj control)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:08
S60	44	S59 and (flame or heat)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:09
S61	3	(flame near sensor) same pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:23

S62	16	(flame near sensor) and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:24
S63	12	(flame near (detector or sensor)) with pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:47
S64	7	((("5773826") or ("5589099") or ("5548276") or ("5311167") or ("5155468") or ("5153722") or ("4769775")).PN.	USPAT	OR	OFF	2004/12/20 10:34
S65	5307	(flame near (detector or sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 14:29
S66	811	S65 and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:47
S67	88	S66 and photodiode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:47
S68	5960	guard adj band	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 14:35
S69	89	S68 and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 09:11
S70	5	S68 WITH pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 09:11

S71	1	10/611384	US-PGPUB	OR	OFF	2004/12/29 14:09
S72	15425	((fire or heat or flame) with (sensor or detector)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 10:58
S73	131	S72 and (response adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 14:56
S74	19	S73 and millisecond	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 14:56
S75	2	((fire or heat or flame) with (sensor or detector)).ti. and housing and lensing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 10:59
S76	5969	guard adj band	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 14:37
S77	2	S76 with (identical adj position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 14:38
S78	2	(track with (equal adj potential)) with PCB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 14:40
S79	1	("6057549").PN.	USPAT	OR	OFF	2004/12/30 14:40